Tom King Southern District Commissioner Kelly R. Castleberry District 6 Engineer

P. O. Box 551 Hattiesburg, MS 39403-0551 Telephone (601) 544-6511 FAX (601) 544-0227



Brad White Executive Director

Brian D. RatliffDeputy Executive Director/Chief Engineer

Lisa M. Hancock

Deputy Executive Director/Administration

GoMDOT.com

NB Services 150 Warren Lott Rd. Sumrall, MS 39482 APPROVED

By bfarris at 10:43 am, Oct 17, 2023

Nathan Banks nathanbanks@comcast.net; mattanderson@nationallandrealty.com

Enclosed, please find your MDOT permit 6-23-37-98-0665. All applicants must make provision for materials and labor for their installations. Contact Brian Farris (bfarris@mdot.ms.gov) or Pam Hinricks (phinricks@mdot.ms.gov) 601-544-6511 to schedule inspection 48 hours prior to performing work.

Please note that road bores under state highways shall be performed Monday through Thursday and shall not begin on Friday.

Thanks,

Brian D. Farris

MDOT District Six

Post Office Box 551

Hattiesburg, MS 39403

Brin Farms

or

(physical address):

6356 Highway 49

Hattiesburg, MS 39401

HAN Banks
1297 KS
/ - 913 - 4559 mattanderson@nationallandrealty
nathanhanks@comcast net
WITH
Street/Route 39482 Zip Code 6 a cers ±
Street/Route
3998 Z
Server 5
90
No
89.474133
intatives, that upon request of said ye or move to another location the the said Mississippi Department of ity or driveway shall be primarily the le or designated by said Mississippi ole. It is understood and agreed that by the said applicant, will use a emoved, altered or reconstructed. made a part of this application as
dance with this plan within one year islands will be a minimum of 12 fee
of the highway right of way.
AL DESIGN CRITERIA", LATES erts, bridges, inlets, junction boxes Department's Roadway and Bridge and Bridge Construction.
ai d tic d

Page ____ of __

- (n) The applicant accepts the responsibility of the safety of the traveling public and his/her workers and agrees to furnish, place and maintain traffic control devices, if required, in accordance with Part 6 of the Manual On Uniform Traffic Control Devices For Streets and Highways (MUTCD), Current Edition as a minimum. The applicant shall attach a special traffic control plan to the application if special traffic control details are required.
- (o) The applicant does hereby covenant and agree to indemnify and hold harmless the Mississippi Transportation Commission and the Mississippi Department of Transportation from and against any claims, actions, suits, causes or demands, including court costs and reasonable attorney's fees, proximately resulting from acts or omissions of the applicant, or applicant's servants, agents or employees in the construction and maintenance of all facilities outlined under this permit.

- 11	
Witness my signature thisOth_ day ofOth	χ_{20} 20, which is applicable to sheets 1
	20_0 to sheets 1
through of permit number_6-23-37-98-0665	
	- Carl Mil
	Signature of Applicant
	By: Nathan Banks
STATE OF MISSISSIPPI	Printed Name and Title
STATE OF MISSISSIPPI COUNTY OF Lamar	
Personally appeared before me, the undersigned authority	Nathan Banks whose
is	Printed Name of Applicant
names(s) subscribed to this instrument as the	
israie	Title of Applicant
Name of Company (or) Individual	who having been first fully sworn acknowledged that they
executed the above agreement as the act and deed of the therein expressed and on the date above written.	said applicant for the purpose and consideration and in the capacity
loha	Octobras m
Given under my hand and seal of office this the \(\frac{10101}{101}\) day	of 1/1/1/1 20 00
SINGSON SESSUM	
	MEGNA CCAMA
My Commission Expires: ID No. 104083	103001 (036 11111)
Commission Expires Commission Expires	Signature of Notary Officer
Nov 20, 2024	
TO OF MISSES	
WEST COUNTY	
A STATE OF THE STA	
Field Inspection By:	Bun Jams 10.13 ₂₀ 23
Approved: MISS	SISSIPPI DEPARTMENT OF TRANSPORTATION
	_ Brian Ratliff 10.13.23
11/1	Deputy Executive Director/Chief Engineer
By:	
Dy. The Cold	10/16/ ₂₀₂₃
Installation Inspection By	<i>f</i> :20

PERMIT NO. 6-23-37-98-0665

MND-001 Rev. 2011

Mississippi Department of Transportation Completion of Work Certification

This permit requires that the named applicant submit the following certification with signature(s) and insure proper filing with MDOT's District Permit Department before the permit is closed and all associated bonds are released:


Permit Representative's signature(s) acknowledges the following:

We/(I), certify that the requirements of this permit have been constructed as stated in the approved final permit. Furthermore, no work performed as an exercise of the approved permit, has been relocated or altered without such change being shown on an approved revision of the permit or approved addenda thereto.

Nathan Banks

Printed Name of Applicant


Signature of Applicant



MND-005 REV. 2-93

MISSISSIPPI DEPARTMENT OF TRANSPORTATION PERMIT DEPARTMENT - DISTRICT 6

SUPPLEMENT TO MND-001 MND-002 MND-004





NOTES

MAX

ALL BUILDINGS MUST BE A MINIMUM OF 25' - 0' FROM R.O.W. LINE.

FINAL DRIVEWAY SURFACE: ASPHALT

THIS DRIVEWAY IS FOR PROPERTY ACCESS. ANY CHANGES IN PROPERTY USE WILL REQUIRE THIS DRIVEWAY TO BE RE-PERMITTED.

ALL EROSION CONTROL WILL BE THE RESPONSIBILITY OF THE APPLICANT TO UPKEEP AND MAINTAIN ACCORDINGLY AS TO PERMIT SPECIFICATIONS, ALL SLOPES ALONG DRIVEWAY WILL NEED TO BE SEEDED AND SODDED.

DRIVEWAY MAY NOT COVER R BE PLACED IN OBSTRUCTION TO WATERFLOW OF EXISTING DRAINS.

DRIVE MUST BE A MINIMUM

10 FEET AWAY FROM DRAINS.

ALL UTILITIES WILL BE THE RESPONSIBILITY OF THE APPLICANT TO BE COORDINATED AND RELOCATED, IF NECESSARY, WITH THE PROPER AUTHORITIES.

APPLICANT TO READ & COMPLY WITH ALL REQUIREMENTS OF PERMIT

A COPY OF THE APPROVED PERMIT/PLAN IS TO BE KEPT AT THE WORK SITE AT ALL TIMES DURING CONSTRUCTION

M D O T FINAL FIELD INSPECTION NOTE (THIS INFORMATION WILL BE EVALUATED BY MDOT PERSONNEL)

TYPE AND SIZE OF PIPE	ADDITIONAL NOTES:
WIDTH OF DRIVEWAY	
SURFACE OF DRIVEWAY	

IND-005 MIS ev. 2-93	SSISSIPPI DEPARTMENT OF TRANSPORTATION	Supplement to MND-001 MND-002 MND-004
Sheet No.: 4 of 6 Permit No.: 6-23-37-98-0665	REVISIONS APPLICANT MDOT DATE BY DATE BY	Show North
CONCRETE D DITCH N66'46'05" N66'46'05" N66'33'56 A.P.R. N09'49'42"W	U.S. HIGHWAY NO.98 ASPHALT FOUND CONCRETE BY AND ADDRESS AND ADDR	S08'45'40"E 653.13" A.P.R. S08'45'40"E 653.33" A.P.S.
	N88°05'27"W	
SET REBAR P.O.B.		FOUND REBAR

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Supplement to: MND-001 MND-002


Sheet No.:	5	of 6	


Permit No.:_6-23-37-98-0665

REVISIONS			
APPLICANT MDOT		TC	
DATE	BY	DATE	BY



8/28/23, 10:53 AM





Property Link LAMAR COUNTY, MS

Current Date 8/28/2023

Tax Year 2022 Records Last Updated 8/25/2023

ACRES: 4.00

PROPERTY DETAIL

NB SERVICES LLC OWNER

150 WARREN LOTT RD

LAND VALUE: 262460 IMPROVEMENTS: **NA**

SUMRALL MS 39482

TOTAL VALUE: 262460 ASSESSED: 39370

106C-14-069.001 PARCEL

7208 U S HWY 98 ADDRESS

TAX INFORMATION

YEAR 2022 TAX DUE PAID BALANCE 0.00 2461.56 2461.56 COUNTY 0.00 0.00 0.00 CITY 0.00 2487.40 SCHOOL 2487.40 0.00 4948.96 4948.96 TOTAL

A Print Fee May Apply, Contact County For Total.

LAST PAYMENT DATE 2/1/2023

MISCELLANEOUS INFORMATION

EXEMPT CODE

LEGAL APOT SW 1/4 NE 1/4

B 025X P 607 05/10/2017

HOMESTEAD CODE None TAX DISTRICT 0018 037392 PPIN SECTION 14 04N TOWNSHIP 15W RANGE

Book 025X

Page 607

PURCHASE COUNTY TAX SALE FILES

TAX SALES HISTORY, FOR UNPAID TAXES

Sold To **Year** NEWLINE HOLDINGS LLC 2019

Redeemed Date/By 12/21/2020 TB SERVICES LLC

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Supplement to: MND-001 MND-002 MND-004

Sheet No.: 6 of 6

Permit No.: 6-23-37-98-0665

REVISIONS			
APPLICANT MDOT			T
DATE	BY	DATE	BY








MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Supplement to: MND-001 MND-002 MND-004

Sheet No.: 2 of 8

Permit No.: 6-23-37-98-0665

	REVI	SIONS	
APPLIC	ANT	MDC	TC
DATE	BY	DATE	BY



"AS A CONDITION FOR THE PPROVAL OF THIS PERMIT APPLICATION ALL OF THE FOLLOWING NOTES APPLY"

WORKER VISIBILITY

Code of Federal Regulations CFR 23 Part 634 final rule adopted November 24, 2006 became effective November 24, 2008. This rule requires that "All workers within the right-of-way of a Federal-aid highway who are exposed either to traffic (vehicles using the highway for purposes of travel) or to construction equipment within the work area shall wear high-visibility safety apparel". High-visibility safety apparel is defined in CFR as "personnel protective safety clothing that is intended to provide conspicuity during both daytime and nighttime usage, and that meets the Performance Class 2 or 3 requirements of the ANSI/ISEA 107-2004 publication entitled American National Standard for High-Visibility Safety Apparel and Head wear." All workers on Mississippi State Highway right-of-way SHALL comply with this Federal Regulation.

The applicant accepts the responsibility of the safety of the traveling public and his/her workers and agrees to furnish, place and maintain traffic control devices, of required, in accordance with Part 6 of the Manual On Uniform Traffic Control Devices For Streets and Highways (MUTCD), Current Edition as a minimum. The applicant shall attache a special traffic control plan to the application if special traffic control details are required.

HISTORICAL ARTIFACTS

Upon the discovery of any historical artifacts within state highway rights-of-way, the applicant will stop all work in and around the adjacent area, immediately, and notify MDOT for approval to continue before any further work may proceed.

GENERAL

A COPY OF THE APPROVED PERMIT IS TO BE KEPT AT THE WORK SITE AT ALL TIMES DURING CONSTRUCTION.

APPLICANT IS TO READ AND COMPLY WITH ALL REQUIREMENTS STATED IN THIS PERMIT.

UNDERGROUND CROSSINGS AND PARALLEL LINES SHALL HAVE A MINIMUM OF 3 FEET OF COVER (6 FEET FOR HDPE).

APPLICANT IS TO NOTIFY MDOT @ (601) 544-6511 48 HOURS IN ADVANCE OF ANY BORING OPERATIONS AND WITHIN 48 HOURS UPON THE COMPLETION OF WORK DETAILED WITHIN THIS PERMIT.

ALL UTILITIES MUST BE CONFINED TO THE LAST 5'OF RIGHT-OF-WAY.

ALL LOCAL ROADS SHALL BE ENCASED.

****Applicant must comply with the MISSISSIPPI 811 ONE- CALL LAW****

All persons preparing to dig must call Mississippi 811 or utilize our online E- locate
system two days prior to the beginning of any work. Underground facilities will be
marked using the color code system and then work may proceed.

Mr. Jeff Burks (MDOT) (601) 953-4184 shall be contacted to locate MDOT fiber and other ITS lines. 228-382-2394
Mr. Corondo Lazono (228) 875-2802 shall locate MDOT facilities in Jackson, Harrison and Hancock counties.

The Mississippi Department of Transportation, in granting this permit, does not in any way assume the maintenance or upkeep of the facility or proposed improvement(s) herein described. Nor will the Mississippi Department of Transportation be held responsible for any damage, which may be inadvertently done to this facility or proposed improvement(s) regardless of the source or cause of such damage.

MN	D-005
Rev	2-93


MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Supplement to: MND-001 MND-002 MND-004

Sheet No.: ____ of ____8


Permit No.: 6-23-37-98-0665

	REVISIONS			
APPLIC	APPLICANT)T	
DATE	BY	DATE	BY	




"As a condition for the approval of this application, all the following notes apply."


TEMPORARY CONSTRUCTION ENTRANCE



GRAVEL CONSTRUCTION ENTRANCE



GRAVEL CONSTRUCTION ENTRANCE
W / WASH RACK



Note: Keep the roadway clean from mud and debris at all times. Sweep the roadway daily to remove dirt and stones.

Source: Mississippi's Planning and Design Manual for Control of Erosion, Sediment and Stormwater

NOT TO SCALE Revision PB-10/17

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Supplementto: MND-001 MND-002 MND-004

Sheet No.: 4 of 8

Permit No.: 6-23-37-98-0665

REVISIONS			
ANT	MD	ОТ	
BY	DATE	BY	
	ANT	ANT MD	



"AS A CONDITION FOR THE PPROVAL OF THIS PERMIT APPLICATION ALL OF THE FOLLOWING NOTES APPLY"

GENERAL EROSION CONTROL NOTES:

- 1. Erosion controls shall be placed and maintained using Best Management Practices (BMP's) as outlined in the Mississippi Department of Environmental Quality's "Handbook for Erosion Control, Sediment Control and Stormwater Management on Construction Sites and Urban Areas, Current Edition".
- 2. All erosion controls shall be installed in accordance the current MDOT Standard Drawings.
- 3. Temporary Erosion and Sediment Controls shall be installed prior to the start of any work. If required to the BMP's temporarily due to construction activities, the BMP's shall be reinstalled immediately once those activities are completed or at the end of the work day (WHICHEVER COMES FIRST).
- Permittee is responsible for maintaining erosion controls throughout the duration of the project. MDOT will have the authority to suspend all work and/or withhold future permits for failure of the contractor to maintain proper maintenance of the Erosion Control BMP's.
- 5. All equipment repair and maintenance shall be performed off site.
- 6. Receptacles shallbe provided to properly dispose of alltrash and waste. All Construction debris shallbe picked up at the end of each day and shallbe removed completely from the site at the end of the project.
- 7. Accumulated sediment shall be removed from BMP's when it reaches $\frac{1}{2}$ the height of the control. The sediment shall be properly disposed of so as not to cause sedimentation in another location.
- 8. The permittee is responsible for the removal of sediment that migrates into the storm drainage system.
- 9. The permittee is responsible for the removal of any sediment or construction debris that is tracked onto adjacent paved areas. Adjacent streets shall be kept clean throughout construction and shall be cleaned with a street sweeper or similar technique immediately upon discovery of sediment. Washing down the street or other paved area is NOT an acceptable form of cleaning.
- 10. Natural vegetation shall be maintained and protected wherever possible.
- 11. Temporary or permanent vegetation practices shall be implemented within seven (7) calendar days when a disturbed area will be left unworked for thirty (30) days or more.
- 12. Temporary erosion and sediment controls shall not be removed until permanent erosion controls (grass, landscaping, etc.) are established on all disturbed areas. Construction will not considered complete until all temporary erosion controls are removed and permanent erosion control measures are effectively established.


MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Supplement to: MND-001 MND-002 MND-004


Sheet No.: 5 of 8

Permit No.: 6-23-37-98-0665

	REV	ISIONS	
APPLI	CANT	MDC)T
DATE	BY	DATE	BY



"AS A CONDITION FOR THE PPROVAL OF THIS PERMIT APPLICATION ALL OF THE FOLLOWING NOTES APPLY"



MND-005
Rev. 2-93

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Supplement to: MND-001 MND-002 MND-004

Sheet No.: __6 __ of ___8____


Permit No.: 6-23-37-98-0665


REVIS	SIONS	
ANT	MD	TC
BY	DATE	BY
		_
_		\vdash
֡	ANT	ANT MD



"AS A CONDITION FOR THE PPROVAL OF THIS PERMIT APPLICAITON ALL OF THE FOLLOWING NOTES APPLY"


					LANTING.		AS DIRECTED.														MISSISSIPPI DEPARTMENT OF TRANSPORTATION	SSIPPI DEPARTMENT OF TRANSPORTATION
FDIII F	DEOLIDEMENTS	NEWOINEIMEN I S	TABEAL BENINDER AN CLAREE DEFENDANCE DO THE ENCINEED MIDIM FAUCTORIA	CHOUND PREPARATION REQUIRED ON AREAS TO RECEIVE SOLID SODOING OR SEEDING, AS APPLICABLE.	LINESTONE SHALL BE MECHANICALLY SPREAD INFORMLY AND INCORPORATED INTO THE SOIL PRICE TO PLANTING. FERTILIZER SHALL BE MECHANICALLY SPREAD INFORMLY AND INCORPORATED INTO THE SOIL PRICE TO PLANTING.	SUPERPHOSPHATE (FOR BID 11EM PURPOSES).	SEED REQUIRED ON DISTURBED AREAS. UNHULLED SEED MAY BE REQUIRED DURING THE DORWANT SEASON AS DIRECTED. SEED REQUIRED ON DISTURBED AREAS.	SEED REQUIRED ON DISTURBED AREAS.	THE ENGINEER WILL DESIGNATE THE RATES OF APPLICATION (SEE SUBSECTION 215.03.3).	SOLID SOD REQUIRED ON AREAS SPECIFIED IN THE CONTRACT OR BY THE ENGINEER. TO BE HEED AS DIRECTED IN THE DIANTIME AND POTABLICUIAN CONTRACTOR.	TO BE USED AS DIRECTED IN THE FLAMING AND ESTABLISHING SOLID SOUS. SEE SECTION 220.		APPROXIMATELY HALF SO, YD. STANDARD GROUND PREPARATION	QUANTITY BASED ON LIGHT GROUND PREPARATION	QUANTITY BASED ON LIGHT GROUND PREPARATION	QUANTITY BASED ON LIGHT GROUND PREPARATION	QUANIIIY BASED UN LIGHI URUUNU PREFARATION	QUANTITY BASED ON LIGHT CHUUID PREPARATION				arania IIIII
ATION SCHEDIII	ES	WINTER	DATES SEPTEMBER 1 TO MARCH 1	SEPTEMBER 1 TO MARCH 1	SEPTEMBER 1 TO WARCH 1	1	AUGUST 15 TO WARCH 15	AUGUST 15 TO MARCH 15	SEPTEMBER 1 TO MARCH 1	SEPTEMBER 1 TO MARCH 1					1	SEPTEMBER I TO MARCH 31	SEPTEMBER TO DECEMBER 15					
VFGFT	∞	FALL &	+	PER SQ.YD. SEP	1868 LBS./ACRE SEP	1	20 LBS./ACRE SEP	Ш	613	28 CALC C V JECT IN SEP-	Ш		PER SO.YD.		ī	П	ACRE	2 TON /ACRE (EST.)				
	L APPLICATI	& SUMMER	DATES	MARCH I TO SEPTEMBER I	MARCH I TO SEPTEMBER I	MARCH I TO DECEMBER 1	WARCH I TO SEPTEMBER 1			MARCH I TO SEPTEMBER I	-				APRIL 1 TO AUGUST 31			2				
	SEASONA	SPRING	RATES	PER SQ.YD.	1000 LBS./ACRE 250 LBS./ACRE	0.5 TONS/ACRE (EST.)	8Ø LBS./ACRE		2 TONS ACRE (EST.)	PER SO, YD.	PER ACRE		PER SQ.YD.	250 LBS./ACRE	20 LBS./ACRE			2 TON /ACHE (EST.)				
	EBOSION CONTROL LIEMS	CONTROL	TOBSOL FOR SLODE TREATMENT WASH	ATION	ACRICULTURAL LIMESTONE COMBINATION FERTILIZER (13-13-13)	SUPERPHOSPHATE	SEEDING (BERWIDAGRASS) SEEDING (TALL FESCUE)	SEEDING (CRIMSON CLOVER)	MULCH - VEGETATIVE MULCH	SOLID SODDING	INSECT PEST CONTROL	TEMPORARY EROSION CONTROL ITEMS	LIGHT CHOUND PREPARATION	COMBINATION FERTILIZER (13-13-13)	SEEDING (BROWN TOP MILLET)	SEEDING (RYE GRASS)	SEEDING (OATS)	VEGETATIVE MATERIAL FOR MOLCH				
	2001	, CNO,	PAY ITEM NO.	186		-	907-225-A001 s	-	5	216-4001 S	Н		907-226-4801 L	907-226-A001 C	987-226-4881	-	907-226-4001 S	901-226-A001 V				





Scanned with CamScanner

Lamar County Mississippi



Property Link LAMAR COUNTY, MS

Tax Year 2022

Current Date 8/28/2023

Records Last Updated 8/25/2023

PROPERTY DETAIL

OWNER

NB SERVICES LLC

150 WARREN LOTT RD

SUMRALL MS 39482

ACRES: 4.00

LAND VALUE: 262460

IMPROVEMENTS: **NA**

TOTAL VALUE: 262460

ASSESSED: 39370

PARCEL

106C-14-069.001

ADDRESS

7208 USHWY 98

TAX INFORMATION

COUNTY

YEAR 2022 TAX DUE PAID 2461.56 BALANCE 0.00

CITY

2461.56 0.00

0.00

SCHOOL

2487.40 2487.40

0.00 0.00

TOTAL

4948.96

4948.96

0.00

A Print Fee May Apply, Contact County For Total.

LAST PAYMENT DATE 2/1/2023

MISCELLANEOUS INFORMATION

EXEMPT CODE

TAX DISTRICT

LEGAL APOT SW 1/4 NE 1/4 B 025X P 607 05/10/2017

HOMESTEAD CODE None

0018

PPIN

037392

SECTION

TOWNSHIP

14

04N

RANGE

15W

Book 025X

Page 607

PURCHASE COUNTY TAX SALE FILES

TAX SALES HISTORY, FOR UNPAID TAXES

Year

Sold To

Redeemed Date/By

2019

NEWLINE HOLDINGS LLC

12/21/2020 TB SERVICES LLC





Back

Home | Search | Real Property | Appraisals | Terms of Use | Privacy Policy | Contact Us | Help